

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	2	9 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/15 17:56
L12	334	(((((block ADJ diagram) block \$1diagram) WITH model\$4) ((simulink labview SystemBuild "Vis Sim" Vis\$1Sim Hypersignal Maxsim Maxcore "HP VEE") and "703".clas.) (simulink and mathworks.as.) ((Kodosky labview) and "National Instruments".as.)) AND ((substitute substituted substituting substitution switch switched switches switching replacement replace replaced replacing) WITH block WITH model\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:56
L11	6	(((((block ADJ diagram) block \$1diagram) WITH model\$4) ((simulink labview SystemBuild "Vis Sim" Vis\$1Sim Hypersignal Maxsim Maxcore "HP VEE") and "703".clas.) (simulink and mathworks.as.) ((Kodosky labview) and "National Instruments".as.)) AND (model\$4 WITH fly WITH simulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:54

L9	149	8 not 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:49
L8	154	(((block ADJ diagram) block \$1diagram) WITH model\$4) OR (simulink labview SystemBuild "Vis Sim" Vis\$1Sim Hypersignal Maxsim Maxcore "HP VEE") and "703".clas. OR (simulink and mathworks.as.) ((Kodosky labview) and "National Instruments".as.)) AND (model\$4 WITH (restart restarting restarted reinitialize reinitialized reinitializing reinitialization reset resetting resetted resetter relaunch relaunched relaunching recommence re \$1start re\$1starting re \$1started re \$1initialize re \$1initialized re \$1initializing re \$1initialization re \$1set re\$1setting re \$1setted re\$1setter re \$1launch re \$1launched re \$1launching re \$1commence reexecute reexecuted reexecuting reexecution rerun rerunning reran re \$1execute re \$1executed re \$1executing re	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:49

		\$1execution re\$1run re\$1running re\$1ran) WITH simulat\$3)				
L7	6	(((block ADJ diagram) block \$1diagram) WITH model\$4) OR (simulink labview SystemBuild "Vis Sim" Vis\$1Sim Hypersignal Maxsim Maxcore "HP VEE") and "703".clas. OR (simulink and mathworks.as.) ((Kodosky labview) and "National Instruments".as.)) AND (model\$4 WITH fly WITH simulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:48
L6	5	(((block ADJ diagram) block \$1diagram) WITH model\$4) OR (simulink labview SystemBuild "Vis Sim" Vis\$1Sim Hypersignal Maxsim Maxcore "HP VEE") and "703".clas. OR (simulink and mathworks.as.) ((Kodosky labview) and "National Instruments".as.)) AND (block WITH model\$4 WITH (restart restarting restarted reinitialize reinitialized reinitializing reinitialization reset resetting reseted resetter relaunch relaunched relaunching recommence re \$1start re\$1starting re \$1started re \$1initialize re \$1initialized re \$1initializing re	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:42

		\$1 initialization re \$1 set re\$1 setting re \$1 setted re\$1 setter re \$1 launch re \$1 launched re \$1 launching re \$1 commence reexecute reexecuted reexecuting reexecution rerun rerunning reran re \$1 execute re \$1 executed re \$1 executing re \$1 execution re\$1 run re\$1 running re\$1 ran) WITH simulat\$3)				
L5	3	((((block ADJ diagram) block \$1 diagram) WITH model\$4) OR (simulink labview SystemBuild "Vis Sim" Vis\$1 Sim Hypersignal Maxsim Maxcore "HP VEE") and "703".clas. OR (simulink and mathworks.as.) ((Kodosky labview) and "National Instruments".as.)) AND ((substitute substituted substituting substitution switch switched switches switching replacement replace replaced replacing) WITH model\$4 WITH (restart restarting restarted reinitialize reinitialized reinitializing reinitialization reset resetting resetted resetter relaunch relaunched relaunching recommence re \$1 start re\$1 starting re	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:40

		\$1started re \$1initialize re \$1initialized re \$1initializing re \$1initialization re \$1set re\$1setting re \$1setted re\$1setter re \$1launch re \$1launched re \$1launching re \$1commence reexecute reexecuted reexecuting reexecution rerun rerunning reran re \$1execute re \$1executed re \$1executing re \$1execution re\$1run re\$1running re\$1ran) WITH simulat\$3)				
L4	9	((((block ADJ diagram) block \$1diagram) WITH model\$4) OR (simulink labview SystemBuild "Vis Sim" Vis\$1Sim Hypersignal Maxsim Maxcore "HP VEE") and "703".clas. OR (simulink and mathworks.as.) ((Kodosky labview) and "National Instruments".as.)) AND ((substitute substituted substituting substitution switch switched switches switching replacement replace replaced replacing) WITH (dynamic runtime run\$1time "run time") WITH model\$4 WITH simulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:34

L3	18	(((block ADJ diagram) block \$1diagram) WITH model\$4) OR (simulink labview SystemBuild "Vis Sim" Vis\$1Sim Hypersignal Maxsim Maxcore "HP VEE") and "703".clas. OR (simulink and mathworks.as.) ((Kodosky labview) and "National Instruments".as.)) AND ((substitute substituted substituting substitution switch switched switches switching replacement replace replaced replacing) WITH block WITH model\$4 WITH simulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:30
L2	0	(((block ADJ diagram) block \$1diagram) WITH model\$4) OR (simulink labview SystemBuild "Vis Sim" Vis\$1Sim Hypersignal Maxsim Maxcore "HP VEE") and "703".clas. OR (simulink and mathworks.as.) ((Kodosky labview) and "National Instruments".as.)) AND ((substitute substituted substituting substitution switch switched switches switching replacement replace replaced replacing) WITH block WITH model\$4 WITH ((graphical ADJ user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 17:27

		ADJ interface) graphical\$1user \$1interface GUI (user ADJ interface) user \$1interface (dialog ADJ box) dialog \$1box (dialogue ADJ box) dialogue\$1box wizard))				
L1	3	(((((block ADJ diagram) block \$1diagram) WITH model\$4) OR (simulink labview SystemBuild "Vis Sim" Vis\$1Sim Hypersignal Maxsim Maxcore "HP VEE") and "703".clas. OR (simulink and mathworks.as.) ((Kodosky labview) and "National Instruments".as.)) AND ((atmosphere atmospheric air) with (non\$1Standard (non ADJ Standard) MIL \$1HDBK\$1310 MIL \$1STD\$1210C COESA (Committee with Extension with Standard with Atmosphere)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 14:49

12/15/2008 6:12:57 PM

C:\Documents and Settings\Jochoa\My Documents\EAST\Workspaces\10678718.wsp